

HABER 800M - STANDARD EQUIPMENT

Hull and deck

- Hand made hull and deck made of glass reinforced plastic
- Deck sandwich
- Hull dark green or navy blue color and cream color deck
- Inner permanent ballast laminated
- Slidable hatchway at the entrance to the cabin
- · Stainless steel towing eye

Inboard engine

- YANMAR 2YM15G, 14 hp, 2 cylinders
- · Complete equipment, start battery
- Solid propeller
- Slastic fuel tank 42 I (without fuel level gauge)
- · Small stainless tank as a safeguard against fuel overflow

Deck equipment

- 10 plexi windows
- Aluminum / plexi hatchway 2 pcs
- 4 portholes (circular opening windows)
- Vent grates and stainless steel mushroom vent
- Anchor storage locker
- Ventilated compartments with inside-locking system
- Vertically sliding three part companionway (plexi)
- Stainless steel flagpole
- Shelves in the cockpit 2 pcs
- 6 cleats with stainless steel protection plates
- Stainless steel steering device tiller
- Bow counter with teak step
- Folding stern ladder with teak steps

Tiller, companionway, wooden mast - Teak

Interior furnishing and equipment

- Interior furnishing: oak wood
- Galley: 2 cupboards, 1 drawer, stainless sink with outlet, two-burner ORIGO 3000 spirit cooker on Cardan joint
- Head: wash-basin and cupboard below, chemical toilet Porta Potti 365 movable
- Folding table part of the bunk
- Complete upholstery mattresses
- Stainless curtain rails and curtains
- Flexible drinking water tank 50 I 2 pcs
- Complete pressure water installation, electric pump
- · Bilge pumps: manual and electric
- Carpet in the cabin

Electric installation

- Electric distribution board Philippi STV 108, 8 automatic fuses
- Interior lighting: 1x head, 2x forepeak, 3x cabin
- Positional lights corresponding to IMO requirements (without BSH)
- Compass with the light
- Battery 110 Ah.
- Voltmeter
- 12V socket
- Horn



HABER 800M

ADDITIONAL EQUIPMENT - ENGINE • DIESEL

Nr.	Description
6D.	Inboard engine VETUS M-Line M3.29, 27 hp, 3 cylinders. Additional payment to the standard
6. Y21	Inboard engine YANMAR 3YM20G, 21 hp, 3 cylinders. Additional payment to the standard version
8.	Electric engine
29D.	Fuel level gauge
30/1.	Stainless steel fuel tank 60 l, instead of the standard fuel tank (with the fuel level gauge). Additional payment

ADDITIONAL EQUIPMENT

Nr.	Description
10/2.	Inside steering position: helmsman chair with adjustable height mounted on WC wall, console with steering wheel, hydraulic system of rudder and mechanical engine steering
10/3.	Outside steering position under the roof in cockpit (starboard side): movable helmsman chair, console with steering wheel, hydraulic system of rudder steering and mechanical engine steering
10/4.	Outside steering position steering pedestal in the cockpit: three level helmsman seat on the transom, hydraulic system of rudder steering
13/1.	Interior furnishing-mahogany. Additional payment
13/2.	Interior furnishing-cherry wood. Additional payment
13/5.	Forpeak door
14M.	Stainless portholes (circular openings) – 2 pcs.
19/2.	Cooker - WALLAS 85 DT. Additional payment
21.	Additional flexible tank for drinking water - 50 I with sink installation system
22.	Flexible tank for waste water - 50 I with installation system cooperating with 1 fresh water tank
25/1.	Shower: water installation (cold water) – automatic pump of waste water with floating switch-key, pulled out shower handle
25/2.	Shower in the cockpit (cold water)
26.	Device for heating the water WEBASTO THERMO TOP C with distribution installation – hot water in the galley and WC cabin
27.	Interior heating and water heating WEBASTO THERMO TOP C – hot water in the galley and WC cabin
28.	Interior heating (without water heating) WEBASTO AIR TOP 2000 with distribution Installation
40.	Companionway on hinges. Additional payment to standard companionway
46.	Two double baskets for fenders $arnothing$ 160 - on the bow counter
51.	Positional lights meeting the requirements of BSH. Additional payment
52/2.	Ballast: 250 kg – possibility of taking lead blocks out + 300 kg – permanent ballast. Additional payment to standard. HABER 800M Cat. B
52/3.	Ballast: 150 kg – possibility of taking lead blocks out + 150 kg – permanent ballast. Additional payment to standard. HABER 800M Cat. C
53.	Protection against osmosis (4 layers) and antifouling (2 layers) VC TAR + VC 17m – from International
55.	Autopilot ST 1000 + "Raymarine" with remote - only with tiller version
56.	Bidata i40 "Raymarine" log, echo sounder and temperature - DST 800
57.	Chartplotter (to be chosen)
59.	Car radio with CD player with MP3 player with two speakers
60.	Additional electric distribution board: 8 circuits Philippi STV 108, 8 automatic fuses

HABER YACHTS sp. z o.o.: ul. K. Makuszyńskiego 1 ; 13-300 Nowe Miasto Lubawskie, Poland ; +48 5647254 24 / - 04 www.haber-yachts.com ; e-mail: biuro@haber-yachts.com



HABER 800M

	Light dimmer (70W)
61.	
64.	Cockpit lighting under the roof of the cabin - 2 watertight lamps
68/3.	"Drawer-type" Refrigerator Isotherm CRUISE 36 (36 I). Two units fitted one over the other
68/4.	"Drawer-type" Refrigerator Isotherm CRUISE 36 (36 I). Drawer under the fridge
72/1.	Charging from the land – with electronic charger 30A, with circuit breaker FI and 230V socket in the cabin
73/1.	Solar panel 20W
73/2.	Solar panel 38W
78.	Transport (per km)
79.	Insurance of transport
80.	Fender rope with stainless steel hardware, assuming that item 83/2 is ordered
81.	Teak floor in the cockpit
82.	Teak seats in the cockpit
83/1.	Stainless steel strake on teak rubrail. Additional payment
83/2.	Rub rail - Teak. Additional payment
83/3.	Bow protection - stainless strake
85/1.	Teak on the main deck
85/2.	Teak on the roof of the low superstructure
86.	Side deck - Teak
94.	Cushions for the seats in the cockpit
97.	Cockpit-Cabrio
101.	Boards on the sides made of oak battens. Additional payment
102/1.	Sea toilet: electric pump, stainless dirty water tank - 55 l, WASTE connector for emptying the tank in the marina
	Sea toilet: electric pump, stainless dirty water tank - 55 l, WASTE connector for emptying the tank in the marina and pump with the
102/2.	seacock for emptying the tank on open sea Bow anchor platform with anchor Bruce type, 5 m stainless steel chain and 30 m of anchor line
108.	Table in cockpit - mounted on the pedestal
111/2.	Radar reflector
113.	Hardened glued glass windows instead of plexi windows
116.	,
117.	1 electric wiper
214.	Bow thruster Vetus 35 with 110 Ah battery

Edition: December 2022